

## Anti-Glyceraldehyde-3-phosphate dehydrogenase GAPCP1, chloroplastic antibody

Catalog: PHY3266S

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** GAPCP-1 is one of the chloroplast/plastid localized GAPDH isoforms

(GAPCp1/At1g79530 and GAPCp2/At1g16300), GAPCps are important for the

synthesis of serine in roots.

**Synonyms:** GAPCP-1, GLYCERALDEHYDE-3-PHOSPHATE DEHYDROGENASE OF

PLASTID 1

**Immunogen:** KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from

Arabidopsis thaliana GAPCP-1 (AT1G79530).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at <a href="mailto:info@phytoab.com">info@phytoab.com</a>.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to  $-70^{\circ}$ C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 45 kDa

**Predicted Reactivity:** Among species analyzed, the sequence of the synthetic peptide

used for immunization is 100% homologues with the sequence in




Solanum tuberosum, Vitis vinifera, Panicum virgatum, Zea mays, Triticum aestivum, Brassica napus, Brassica rapa, Nicotiana tabacum, Cucumis sativus, Solanum lycopersicum, Glycine max, Hordeum vulgare, Sorghum bicolor, Setaria viridis, Oryza sativa, and 80-99% homologues with the sequence in Medicago truncatula, Gossypium raimondii, Populus trichocarpa.

The sequence of the synthetic peptide used for immunization is 87% (13 / 15) homologues with the sequence in GAPCP-2 (AT1G16300) and 80% (12 / 15) homologues with the sequence in GAPC2 (AT1G13440) and GAPC1(AT3G04120).

For more species homologues information, please contact tech support at <a href="tech@phytoab.com">tech@phytoab.com</a>.

## **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 48 kDa.

Electrophoresis: 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or  $4^{\circ}$ C for 1 h.

**Primary antibody:** 1:1000 dilution overnight at  $4^{\circ}$ C.

**Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

**Detection:** using chemiluminescence substrate and image were captured

with CCD camera.