

Anti-Cytochrome c biogenesis protein CcsA antibody

Catalog: PHY2909A

Product Information

Description:	Rabbit polyclonal antibody	
Background:	YCF5 is a Cytochrome C assembly protein.	
Synonyms:	YCF5	
Immunogen:	KLH-conjugated synthetic peptide (16 aa from C terminal section) derived from	
	Arabidopsis thaliana YCF5 (ATCG01040).	
Form:	Lyophilized	
Quantity:	150 µg	
Purification:	Immunization Affinity Purified	
Reconstitution:	Reconstitution with 150 μ l of sterile 1 $ imes$ PBS (PH=7.4).	
	"Note: please spin tube briefly prior to opening it to avoid any losses that might	
	occur from lyophilized material adhering to the cap or sides of the tube".	
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
Storage:	12 months from date of receipt, -20 to -70 $^\circ\!\mathrm{C}$ as supplied.	
	6 months, -20 to -70 $^\circ\!\!\!\!\!^\circ$ under sterile conditions after reconstitution.	
	1 month, 2 to 8 $^\circ C$ under sterile conditions after reconstitution.	
Shipping:	ng: The product is shipped at 4 °C. Upon receipt, store it immediately at the	
	temperature recommended above.	


Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	38 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used
	for immunization is 100% homologues with the sequence in <i>Brassica</i>
	<i>napus, Brassica rapa, Cucumis sativus</i> , and 80-99% homologues
	with the sequence in <i>Medicago truncatula</i> , <i>Panicum virgatum</i> ,
	Glycine max, Spinacia oleracea, Leymus chinensis, Hordeum
	vulgare, Triticum aestivum, Setaria viridis, Vitis vinifera, Sorghum



bicolor, Oryza sativa, Zea mays, Populus trichocarpa, Gossypium raimondii, Solanum lycopersicum, Solanum tuberosum, Nicotiana tabacum, Chlamydomonas reinhardtii, Synechocystis sp. PCC 6803. For more species homologues information, please contact tech support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 45 kDa. Electrophoresis: 12% SDS-PAGE Transfer: blotting to NC (nitrocellulose) membrane for 1 h. **Blocking:** 5% skim milk at RT or 4° C for 1 h. Primary antibody: 1:1000 dilution overnight at 4°C. Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000). Detection: using chemiluminescence substrate and image were captured

with CCD camera.