

Anti-Tomato spotted wilt tospovirus (TSWV) Capsid protein, N-terminal antibody

Catalog: NAV1055-001S **Quantity:** 200 μL

Immunogen Information:

Background Tomato spotted wilt tospovirus (TSWV) Immunogen KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from Tomato spotted wilt tospovirus TSWV Capsid protein (NCBI: UVJ68486). We also have antibodies for different epitopes from the Capsid protein. Please request at info@nanodiaincs.com or https://www.nanodiaincs.com.

Basic Information:

Purification: Serum

Peptide affinity form antibody available upon request atinfo@nanodiaincs.com.Clonality: PolyclonalExpected MW: 29 kDaHost: Rabbit

Product Information:

Form: Lyophilized

Reconstitution

Reconstitution with 200 μ L of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".

Stability & Storage

Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

Shipping

The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Applications Information:


Recommended Dilution:WB (1:1000-1:2000)Predicted Reactivity:For more species homologues information, please contact
tech support at info@nanodiaincs.com.

Research Use Only

Nano Diagnostics, LLc.



Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 50 kDa. **Electrophoresis:** 12% SDS-PAGE **Transfer:** blotting to NC (nitrocellulose) membrane for 1 h. **Blocking:** 5% skim milk at RT or 4°C for 1 h. **Primary antibody:** 1:1000 dilution overnight at 4°C. **Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000). **Detection:** using chemiluminescence substrate and image were captured with CCD camera.

Research Use Only

Nano Diagnostics, LLc.