

# Anti-Dihydrolipoyllysine-residue succinyltransferase, C-terminal antibody

Catalog: PHY5581S

## Product Information

<b>Description:</b>	Rabbit polyclonal antibody
<b>Background:</b>	Cre07.g343700
<b>Synonyms:</b>	OGD2
<b>Immunogen:</b>	KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from <i>Chlamydomonas reinhardtii</i> OGD2 (Cre07.g343700).
<b>Form:</b>	Lyophilized
<b>Quantity:</b>	150 µg
<b>Purification:</b>	Serum Peptide affinity form antibody available upon request at <a href="mailto:info@phytoab.com">info@phytoab.com</a> .
<b>Reconstitution:</b>	Reconstitution with 150 µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
<b>Stability &amp; Storage:</b>	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
<b>Shipping:</b>	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

## Application Information

<b>Recommended Dilution:</b>	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
<b>Expected / apparent MW:</b>	48 kDa
<b>Confirmed Reactivity:</b>	Coming soon
<b>Predicted Reactivity:</b>	Among analyzed species, the sequence of the synthetic peptide used for immunization is 80-99% homologues with the sequence in <i>Brassica napus</i> , <i>Brassica rapa</i> , <i>Arabidopsis thaliana</i> , <i>Populus</i>

Research Use Only

*trichocarpa, Triticum aestivum, Nicotiana tabacum, Solanum tuberosum, Solanum lycopersicum, Hordeum vulgare, Oryza sativa, Spinacia oleracea, Physcomitrium patens, Sorghum bicolor.*

For more species homologues information, please contact tech support at [tech@phytoab.com](mailto:tech@phytoab.com).