

Anti-KDEL-tailed cysteine endopeptidase CEP1, C-terminal antibody

Catalog: PHY1678S

Product Information

Description:	Rabbit polyclonal antibody
Background:	CEP1 is a papain-like cysteine protease involved in tapetal programmed cell death and pollen development. CEP1 is expressed specifically in the tapetum from stages 5 to 11 of anther development. The CEP1 protein first appears as a proenzyme in precursor protease vesicles, and is then transported to the vacuole and transformed into the mature enzyme before rupture of the vacuole.
Synonyms:	CEP1, CYSTEINE ENDOPEPTIDASE 1
Immunogen:	KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from <i>Arabidopsis thaliana</i> CEP1 (AT5G50260).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Serum Peptide affinity form antibody available upon request at info@phytoab.com .
Reconstitution:	Reconstitution with 150 µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Storage:	12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
------------------------------	--

Research Use Only

Expected / apparent MW: 41 kDa

Confirmed Reactivity: Coming soon

Predicted Reactivity: For more species homologues information, please contact tech support at tech@phytoab.com.