

# Anti-Probable sucrose-phosphate synthase 4, C-terminal antibody

Catalog: PHY1974A

#### **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** Sucrose (Suc)-phosphate synthase (SPS) catalyses one of the rate-limiting

steps in the synthesis of Suc in plants. The Arabidopsis genome contains four

annotated SPS genes which can be grouped into three different families (SPS1, SPSA2, SPS3, and SPS4). The four proteins are all involved in

photosynthetic sucrose synthesis, the regulation of carbon partitioning and

sucrose availability.

Synonyms: SPS4, ATSPS4F, SPS4F, SUCROSE PHOSPHATE SYNTHASE 4F

**Immunogen:** KLH-conjugated synthetic peptide (17 aa from C terminal section) derived from

Arabidopsis thaliana SPS4 (AT4G10120).

Form: Lyophilized

**Quantity:** 150 μg

Purification: Immunogen affinity purified

**Reconstitution:** Reconstitution with 150 µl of 0.01 M sterile PBS.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 119 kDa




### **Predicted Reactivity:**

Among species analyzed the sequence of the synthetic peptide used for immunization is 80-99% homologues with the sequence in *Brassica napus*, *Brassica rapa*.

For more species homologues information, please contact tech support at <a href="tech@phytoab.com">tech@phytoab.com</a>.

## **Application Example**



Recom: 2.5 ng and 15 ng recombinant protein containing the peptide for immunization and having a molecular mass of 48 kDa.

Electrophoresis: 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured

with CCD camera.