

## Anti-Protein PLASTID REDOX INSENSITIVE 2, chloroplastic, C-terminal antibody

Catalog: PHY2580A

## **Product Information**

**Description:** Rabbit polyclonal antibody

Background: PLASTID REDOX INSENSITIVE2 (PRIN2) was identified using forward

genetics as a chloroplast component involved in redox-mediated retrograde

signaling. PRIN2 mutants are impaired in PEP (plastid-encoded RNA

polymerase) activity and high light-dependent plastid redox signalling to the

nucleus.

Synonyms: PRIN2, PLASTID REDOX INSENSITIVE 2

**Immunogen:** KLH-conjugated synthetic peptide (16 aa from C terminal section) derived from

Arabidopsis thaliana PRIN2 (AT1G10522).

Form: Lyophilized

**Quantity**: 150 μg

Purification: Immunogen affinity purified

**Reconstitution:** Reconstitution with 150 µl of 0.01 M sterile PBS.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70 °C as supplied.

6 months, -20 to -70 °C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:5000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 20 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used



for immunization is 80-99% homologues with the sequence in Brassica napus, Brassica rapa, Gossypium raimondii, Spinacia oleracea, Nicotiana tabacum, Vitis vinifera.

For more species homologues information, please contact tech support at <a href="mailto:tech@phytoab.com">tech@phytoab.com</a>.