

Anti-Protein COFACTOR ASSEMBLY OF COMPLEX C SUBUNIT B CCB1, chloroplastic, C-terminal antibody

Catalog: PHY2752S

Product Information

Description:	Rabbit polyclonal antibody
Background:	CCB1 is required for the biogenesis and accumulation of native cytochrome b6 in the thylakoid membrane. It controls the conversion of apocytochrome b6 to holocytochrome b6.
Synonyms:	CCB1, COFACTOR ASSEMBLY OF COMPLEX C
Immunogen:	KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from <i>Arabidopsis thaliana</i> CCB1 (AT3G26710).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Serum Peptide affinity form antibody available upon request at info@phytoab.com .
Reconstitution:	Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability & Storage:	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
Expected / apparent MW:	30 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used for immunization is 80-99% homologues with the sequence in <i>Spinacia oleracea</i> , <i>Brassica napus</i> , <i>Vitis vinifera</i> , <i>Brassica rapa</i> ,

Research Use Only

Glycine max, Nicotiana tabacum, Solanum tuberosum, Solanum lycopersicum.

For more species homologues information, please contact tech support at tech@phytoab.com.