

Anti-GATA transcription factor 5, N-terminal antibody

Catalog: PHY7143S

Product Information

Description:	Rabbit polyclonal antibody	
Background:	GATA5 is involved in regulating carbon and nitrogen metabolism.	
Synonyms:	GATA5, GATA TRANSCRIPTION FACTOR 5	
Immunogen:	KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from	
	Arabidopsis thaliana GATA5 (AT5G66320).	
Form:	Lyophilized	
Quantity:	150 μg	
Purification:	Serum	
	Peptide affinity form antibody available upon request at <u>info@phytoab.com</u> .	
Reconstitution:	Reconstitution with 150µl of sterile water.	
	"Note: please spin tube briefly prior to opening it to avoid any losses that might	
	occur from lyophilized material adhering to the cap or sides of the tube".	
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
Storage:	12 months from date of receipt, -20 to -70 $^\circ \! \mathbb C$ as supplied.	
	6 months, -20 to -70 $^\circ\!\!\!\!\!^\circ$ under sterile conditions after reconstitution.	
	1 month, 2 to 8 $^{\circ}$ C under sterile conditions after reconstitution.	
Shipping:	The product is shipped at 4 $^\circ\!{ m C}$. Upon receipt, store it immediately at the	
	temperature recommended above.	


Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	37 kDa
Predicted Reactivity:	For more species homologues information, please contact tech
	support at <u>tech@phytoab.com</u> .

Research Use Only



Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 47 kDa. **Electrophoresis:** 12% SDS-PAGE **Transfer:** blotting to NC (nitrocellulose) membrane for 1 h. **Blocking:** 5% skim milk at RT or 4°C for 1 h. **Primary antibody:** 1:1000 dilution overnight at 4°C. **Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.



Research Use Only