

# Anti-Eukaryotic translation initiation factor 4C, N-terminal antibody

Catalog: PHY1560A

## Product Information

<b>Description:</b>	Rabbit polyclonal antibody
<b>Background:</b>	MXH1.2 seems to be required for maximal rate of protein biosynthesis. And it enhances ribosome dissociation into subunits and stabilizes the binding of the initiator Met-tRNA(I) to 40 S ribosomal subunits.
<b>Synonyms:</b>	MXH1.2
<b>Immunogen:</b>	KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from <i>Arabidopsis thaliana</i> AT5G35680, AT2G04520.
<b>Form:</b>	Lyophilized
<b>Quantity:</b>	150 µg
<b>Purification:</b>	Immunogen affinity purified
<b>Reconstitution:</b>	Reconstitution with 150 µl of 0.01 M sterile PBS. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
<b>Stability &amp; Storage:</b>	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
<b>Shipping:</b>	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

## Application Information

<b>Recommended Dilution:</b>	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
<b>Expected / apparent MW:</b>	17 kDa
<b>Predicted Reactivity:</b>	Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in <i>Brassica rapa</i> , <i>Solanum tuberosum</i> , <i>Brassica napus</i> , <i>Glycine max</i> , <i>Vitis vinifera</i> , <i>Medicago truncatula</i> , <i>Cucumis sativus</i> , <i>Populus trichocarpa</i> , <i>Solanum</i>

Research Use Only

*lycopersicum, Spinacia oleracea, Nicotiana tabacum, Gossypium raimondii, Sorghum bicolor, Setaria viridis, Zea mays, Oryza sativa, and 80-99% homologues with the sequence in Physcomitrium patens, Triticum aestivum, Panicum virgatum, Chlamydomonas reinhardtii.*

For more species homologues information, please contact tech support at [tech@phytoab.com](mailto:tech@phytoab.com).