

Anti-Preprotein translocase subunit SCY1, chloroplastic antibody

Catalog: PHY2472A

Product Information

Description:	Rabbit polyclonal antibody
Background:	SCY1 is a component of the thylakoid-localized Sec system involved in the
	translocation of cytoplasmic proteins into plastid.
Synonyms:	SCY1, SECY HOMOLOG 1
Immunogen:	KLH-conjugated synthetic peptide (20 aa from N terminal section) derived from
	Arabidopsis thaliana SCY1 (AT2G18710).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Immunogen affinity purified
Reconstitution:	Reconstitution with 150 µl of 0.01 M sterile PBS.
	"Note: please spin tube briefly prior to opening it to avoid any losses that might
	occur from lyophilized material adhering to the cap or sides of the tube".
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Storage:	12 months from date of receipt, -20 to -70 $^\circ \! \mathbb C$ as supplied.
	6 months, -20 to -70 $^\circ\!\!\!\!\!^\circ$ under sterile conditions after reconstitution.
	1 month, 2 to 8 $^{\circ}$ C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4 $^\circ\!\!\!\mathrm{C}$. Upon receipt, store it immediately at the
	temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	59 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used
	for immunization is 100% homologues with the sequence in <i>Populus</i>
	trichocarpa, Vitis vinifera, Brassica rapa, Brassica napus, Medicago
	<i>truncatula, Spinacia oleracea, Glycine max</i> , and 80-99% homologues


PhytoAB Inc.

Research Use Only



with the sequence in Nicotiana tabacum, Solanum tuberosum, Gossypium raimondii, Solanum lycopersicum, Oryza sativa, Panicum virgatum, Zea mays, Sorghum bicolor, Cucumis sativus, Triticum aestivum, Hordeum vulgare, Setaria viridis. For more species homologues information, please contact tech support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 15 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 47 kDa. Electrophoresis: 12% SDS-PAGE Transfer: blotting to NC (nitrocellulose) membrane for 1 h. Blocking: 5% skim milk at RT or 4°C for 1 h. Primary antibody: 1:1000 dilution overnight at 4°C. Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000). Detection: using chemiluminescence substrate and image were captured with CCD camera.

Research Use Only