

## Anti-Chaperonin 10 subunit, mitochondrial antibody

Catalog: PHY0376A

## **Product Information**

Description:	Rabbit polyclonal antibody	
Background:	Co-chaperonin complex is required for substrate encapsulation during assisting	
	the folding of the unfolded protein with the chaperonin complex. Co-chaperonin	
	also termed as GroES, Cpn10 and Hsp10. CPN10-II (AT1G23100) is a	
	mitochondrial-localized chaperonin 10 protein.	
Synonyms:	AT1G23100, CPN10-II	
Immunogen:	KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from	
	Arabidopsis thaliana AT1G23100.	
Form:	Lyophilized	
Quantity:	150 µg	
Purification:	Immunogen affinity purified	
<b>Reconstitution:</b>	Reconstitution with 150 µl of 0.01 M sterile PBS.	
	"Note: please spin tube briefly prior to opening it to avoid any losses that might	
	occur from lyophilized material adhering to the cap or sides of the tube".	
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
Storage:	12 months from date of receipt, -20 to -70°C as supplied.	
	6 months, -20 to -70°C under sterile conditions after reconstitution.	
	1 month, 2 to 8°C under sterile conditions after reconstitution.	
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the	
	temperature recommended above.	

## **Application Information**

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	11 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used
	for immunization is 100% homologues with the sequence in Brassica
	<i>napus, Brassica rapa</i> , and 80-99% homologues with the sequence in
	Glycine max, Solanum tuberosum, Solanum lycopersicum, Nicotiana


Research Use Only



tabacum, Populus trichocarpa.

The sequence of the synthetic peptide used for immunization is 87% (13 / 15) homologues with the sequence in CPN10 (AT1G14980). For more species homologues information, please contact tech support at tech@phytoab.com.

## Application Example



Recom: 2.5 ng, 15 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 45 kDa.
Electrophoresis: 12% SDS-PAGE
Transfer: blotting to NC (nitrocellulose) membrane for 1 h.
Blocking: 5% skim milk at RT or 4°C for 1 h.
Primary antibody: 1:1000 dilution overnight at 4°C.
Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).
Detection: using chemiluminescence substrate and image were captured with CCD camera.

**Research Use Only**