

## Anti-Cyclin-dependent kinase E-1, C-terminal antibody

Catalog: PHY7403S

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** CDKE;1 is significant sequence similarity to plant and animal cyclin-dependent

protein kinases, and was classified as an E-type CDK with a SPTAIRE cyclin

binding motif in the kinase domain.

Synonyms: CDKE;1, ATCDK8, CDK8, CDKE1, CYCLIN-DEPENDENT KINASE E1,

CYCLIN-DEPENDENT KINASE E;1, HEN3, HUA ENHANCER 3

**Immunogen:** KLH-conjugated synthetic peptide (18 aa from C terminal section) derived from

Arabidopsis thaliana CDKE;1 (AT5G63610).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

**Reconstitution:** Reconstitution with 150µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to  $-70^{\circ}$ C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 53 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 80-99% homologues with the sequence in

Brassica rapa, Brassica napus.

Research Use Only



For more species homologues information, please contact tech support at <a href="tech@phytoab.com">tech@phytoab.com</a>.