

Anti-Ferrochelatase-1 antibody

Catalog: PHY2971S

Product Information

Description:	Rabbit polyclonal antibody
Background:	Ferrochelatase I catalyzes the last step of heme biosynthesis by inserting ferrous iron into protoporphyrin IX to produce protoheme.
Synonyms:	FC1, ATFC-I, FC-I, FERROCHELATASE 1, FUS3-COMPLEMENTING GENE 1
Immunogen:	KLH-conjugated synthetic peptide (16 aa from C terminal section) derived from <i>Arabidopsis thaliana</i> FC1 (AT5G26030).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Serum Peptide affinity form antibody available upon request at info@phytoab.com .
Reconstitution:	Reconstitution with 150 µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability & Storage:	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
Expected / apparent MW:	52 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in <i>Sorghum bicolor</i> , <i>Brassica napus</i> , <i>Zea mays</i> , <i>Cucumis sativus</i> , <i>Nicotiana tabacum</i> , <i>Glycine max</i> , <i>Triticum aestivum</i> , <i>Populus trichocarpa</i> , <i>Solanum tuberosum</i> , <i>Solanum lycopersicum</i> , <i>Oryza sativa</i> , <i>Medicago</i>


Research Use Only

truncatula, *Hordeum vulgare*, *Spinacia oleracea*, *Panicum virgatum*,
Setaria viridis, *Gossypium raimondii*, *Vitis vinifera*, *Brassica rapa*.

The sequence of the synthetic peptide used for immunization is 88%
(14 / 16) homologues with the sequence in FC2 (AT2G30390).

For more species homologues information, please contact tech
support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the
peptide for immunization and having a molecular mass of 43 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L
(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured
with CCD camera.