

Anti-Fructose-bisphosphate aldolase 6, cytosolic, N-terminal antibody

Catalog: PHY1321S

Product Information

Description: Rabbit polyclonal antibody

Background: Fructose 1,6-biphosphate aldolase (FBA) is Aldolase superfamily protein. It is a

key enzyme in plants, which is involved not only in glycolysis and

gluconeogenesis in the cytoplasm, but also in the Calvin cycle in plastids. In the current study, eight FBA family genes (AtFBA1-8) were identified and analyzed

in Arabidopsis thaliana: FBA1 (AT2G21330), FBA2 (AT4G38970), FBA3

(AT2G01140), FBA4 (AT5G03690), FBA5 (AT4G26530), FBA6 (AT2G36460),

FBA7 (AT4G26520), FBA8 (AT3G52930).

Synonyms: FBA6, FRUCTOSE-BISPHOSPHATE ALDOLASE 6

Immunogen: KLH-conjugated synthetic peptide (16 aa from N terminal section) derived from

Arabidopsis thaliana FBA6 (AT2G36460).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

Reconstitution: Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability & Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70 °C as supplied.

6 months, -20 to -70 °C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

Shipping: The product is shipped at 4 °C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.



Expected / apparent MW: 38 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used


for immunization is 80-99% homologues with the sequence in

Brassica rapa, Panicum virgatum, Brassica napus.

For more species homologues information, please contact tech

support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 47 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4℃ for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were

captured with CCD camera.