

Anti-Septum site-determining protein minD homolog, chloroplastic antibody

Catalog: PHY3778A

Product Information

Description:	Rabbit polyclonal antibody
Background:	MIND is a Ca2+ dependent ATPase required for correct positioning of the
	chloroplast division apparatus. Its ATPase activity is stimulated by AtMinE1, a
	topological specificity factor.
Synonyms:	MIND, ACCUMULATION AND REPLICATION OF CHLOROPLASTS 11,
	ARC11, ATMIND1
Immunogen:	KLH-conjugated synthetic peptide (16 aa from Central section) derived from
	Arabidopsis thaliana MIND (AT5G24020).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Immunogen affinity purified
Reconstitution:	Reconstitution with 150 µl of sterile 1XPBS (PH=7.4).
	"Note: please spin tube briefly prior to opening it to avoid any losses that might
	occur from lyophilized material adhering to the cap or sides of the tube".
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Storage:	12 months from date of receipt, -20 to -70 $^\circ \!\! \mathbb{C}$ as supplied.
	6 months, -20 to -70 $^\circ C$ under sterile conditions after reconstitution.
	1 month, 2 to 8 $^\circ C$ under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4 $^\circ\!\mathrm{C}$. Upon receipt, store it immediately at the
	temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	36 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used
	for immunization is 100% homologues with the sequence in <i>Brassica</i>
	napus, Glycine max, Nicotiana tabacum, Vitis vinifera, Solanum


Research Use Only



tuberosum, Solanum lycopersicum, Gossypium raimondii, Brassica rapa, Populus trichocarpa, Cucumis sativus, and 80-99% homologues with the sequence in Medicago truncatula, Spinacia oleracea, Chlamydomonas reinhardtii. For more species homologues information, please contact tech

support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 42 kDa. Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4° C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.

Research Use Only