

Anti-Protein GIGAS CELL1, N-terminal antibody

Catalog: PHY3195A

Product Information

| Rabbit polyclonal antibody |
|--|
| GIG1 is a protein that controls entry into the second meiotic division. |
| Negatively regulates the Anaphase-Promoting Complex/Cyclosome. |
| GIG1, GIGAS CELL 1, OMISSION OF SECOND DIVISION, OSD1, UV-B- |
| INSENSITIVE 4-LIKE, UVI4-LIKE |
| KLH-conjugated synthetic peptide (14 aa from N terminal section) derived from |
| Arabidopsis thaliana GIG1 (AT3G57860). |
| Lyophilized |
| 150 µg |
| Immunogen affinity purified |
| Reconstitution with 150 µl of sterile 1XPBS (PH=7.4). |
| "Note: please spin tube briefly prior to op <mark>ening it to avoid any losses that might</mark> |
| occur from lyophilized material adhering to the cap or sides of the tube". |
| Use a manual defrost freezer and avoid repeated freeze-thaw cycles. |
| 12 months from date of receipt, -20 to -70 $^\circ \! \mathbb C$ as supplied. |
| 6 months, -20 to -70 $^\circ\!\!\!\!\mathrm{C}$ under sterile conditions after reconstitution. |
| 1 month, 2 to 8 $^\circ C$ under sterile conditions after reconstitution. |
| The product is shipped at 4 $^\circ\!\mathrm{C}$. Upon receipt, store it immediately at the |
| temperature recommended above. |
| |


Application Information

| Recommended Dilution: | Western Blot (1:1000-1:2000) |
|------------------------------|--|
| | Note: Optimal dilutions/concentrations should be determined by the |
| | end user. |
| Expected / apparent MW: | 27 kDa |
| Predicted Reactivity: | For more species homologues information, please contact tech |
| | support at tech@phytoab.com. |

Research Use Only



Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 43 kDa. **Electrophoresis:** 12% SDS-PAGE **Transfer:** blotting to NC (nitrocellulose) membrane for 1 h. **Blocking:** 5% skim milk at RT or 4°C for 1 h. **Primary antibody:** 1:1000 dilution overnight at 4°C. **Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.

Research Use Only