

Anti-Translation Elongation Factor eEF-1B beta 1, N-terminal antibody

Catalog: PHY7595S

Product Information

Description:	Rabbit polyclonal antibody
Background:	EF1Bb is a guanine nucleotide exchange factor that plays an important role in
	translation elongation. It is localized in the plasma membrane and cytosol.
Synonyms:	EF1Bb, EEF-1BB1, EF1BB, ELONGATION FACTOR 1B BETA, EUKARYOTIC
	ELONGATION FACTOR 1B BETA 1
Immunogen:	KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from
	Arabidopsis thaliana EF1Bb (AT1G30230).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Serum
	Peptide affinity form antibody available upon request at <u>info@phytoab.com</u> .
Reconstitution:	Reconstitution with 150 µl of sterile water.
	"Note: please spin tube briefly prior to opening it to avoid any losses that might
	occur from lyophilized material adhering to the cap or sides of the tube".
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Storage:	12 months from date of receipt, -20 to -70 $^\circ C$ as supplied.
	6 months, -20 to -70 $^\circ C$ under sterile conditions after reconstitution.
	1 month, 2 to 8 $^\circ C$ under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4° C. Upon receipt, store it immediately at the
	temperature recommended above.

Application Information


Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	29 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used
	for immunization is 100% homologues with the sequence in <i>Brassica</i>
	<i>rapa, Brassica napus</i> , and 80-99% homologues with the sequence in

Research Use Only



Solanum tuberosum, Nicotiana tabacum, Solanum lycopersicum, Panicum virgatum, Zea mays, Setaria viridis. The sequence of the synthetic peptide used for immunization is 87% (13 / 15) homologues with the sequence in AT2G18110. For more species homologues information, please contact tech support at <u>tech@phytoab.com</u>.

Application Example



peptide for immunization and having a molecular mass of 52 kDa. Electrophoresis: 12% SDS-PAGE Transfer: blotting to NC (nitrocellulose) membrane for 1 h. Blocking: 5% skim milk at RT or 4°C for 1 h. Primary antibody: 1:1000 dilution overnight at 4°C. Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the

(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.

PHY7595S

Research Use Only