

# Anti-Alcohol dehydrogenase 1, C-terminal antibody

Catalog: PHY0224S

### **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** ADH1 is a Zn-binding enzyme that acts as a dimer and relies on a NAD(P)

co-factor to interconvert ethanol and acetaldehyde. ADH catalyzes the

reduction of acetaldehyde using NADH as reductant. The protein undergoes

thiolation following treatment with the oxidant tert-butylhydroperoxide.

**Synonyms:** ADH1, ADH, ALCOHOL DEHYDROGENASE, ALCOHOL DEHYDROGENASE

1, ARABIDOPSIS THALIANA ALCOHOL DEHYDROGENASE, ATADH,

ATADH1

**Immunogen:** KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from

Arabidopsis thaliana ADH1 (AT1G77120).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at <a href="mailto:info@phytoab.com">info@phytoab.com</a>.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 41 kDa




#### **Predicted Reactivity:**

Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in *Brassica rapa*, *Brassica napus*, and 80-99% homologues with the sequence in *Cucumis sativus*, *Populus trichocarpa*, *Medicago truncatula*, *Nicotiana tabacum*, *Solanum tuberosum*, *Solanum lycopersicum*, *Gossypium raimondii*, *Spinacia oleracea*, *Oryza sativa*.

For more species homologues information, please contact tech support at <a href="tech@phytoab.com">tech@phytoab.com</a>.

### **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 45 kDa.

Electrophoresis: 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

**Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

**Detection:** using chemiluminescence substrate and image were captured with CCD camera.