

Anti-Violaxanthin de-epoxidase, chloroplastic, C-terminal antibody

Catalog: PHY3506A

Product Information

Description: Rabbit polyclonal antibody

Background: NPQ1 is a violaxanthin deepoxidase involved in xanthophyll cycle. Two major

consequences of the npq1 mutation are the absence of zeaxanthin formation in

strong light and the partial inhibition of the quenching of singlet excited

chlorophylls in the photosystem II light-harvesting complex.

Synonyms: NPQ1, ARABIDOPSIS VIOLAXANTHIN DE-EPOXIDASE 1, AVDE1,

NON-PHOTOCHEMICAL QUENCHING 1

Immunogen: KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from

Arabidopsis thaliana NPQ1 (AT1G08550).

Form: Lyophilized

Quantity: 150 μg

Purification: Immunogen affinity purified

Reconstitution: Reconstitution with 150 μl of sterile 1XPBS (PH=7.4).

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability & Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

Shipping: The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 52 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 80-99% homologues with the sequence in Brassica



napus, Brassica rapa, Gossypium raimondii, Solanum lycopersicum, Solanum tuberosum.

For more species homologues information, please contact tech support at tech@phytoab.com.