

Anti-Histone H3 antibody

Catalog: PHY1687S

Product Information

Description: Rabbit polyclonal antibody

Background: Histone H3 is one of the five main histone proteins involved in the structure of

chromatin in eukaryotic cells. H3 is involved with the structure of the

nucleosomes of the 'beads on a string' structure. Histone H3 is an important protein in the emerging field of epigenetics, where its sequence variants and variable modification states are thought to play a role in the dynamic and long

term regulation of genes.

Synonyms: H3, HTR1/2/3/6/9/11/13

Immunogen: KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from

Arabidopsis thaliana H3.1 (AT5G65360, AT1G09200, AT5G10400,

AT5G10390, AT3G27360), HTR6 (AT1G13370), HTR11 (AT5G65350).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

Reconstitution: Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70 °C as supplied.

6 months, -20 to -70 °C under sterile conditions after reconstitution.

1 month, 2 to 8℃ under sterile conditions after reconstitution.

Shipping: The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.



Expected/apparent MW: 15 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide

used for immunization is 100% homologues with the sequence in

Brassica napus, Glycine max, Brassica rapa, Hordeum vulgare,

Solanum tuberosum, Zea mays, Oryza sativa, Gossypium raimondii,

Setaria viridis, Cucumis sativus, Medicago truncatula, Vitis vinifera,

Panicum virgatum, Triticum aestivum, Solanum lycopersicum,

Nicotiana tabacum, Spinacia oleracea.

The sequence of the synthetic peptide used for immunization is 93%

(14/15) homologues with the sequence in H3.3 (AT5G10980,


AT4G40030, AT4G40040), HTR14 (AT1G75600), and 80% (12/15)

homologues with the sequence in HTR10 (AT1G19890).

For more species homologues information, please contact tech

support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for

immunization and having a molecular mass of 43 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4℃ for 1 h.

Primary antibody: 1:1000 dilution overnight at 4℃.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP)

(Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with

CCD camera.